

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

This list identifies the platforms (systems, motherboards and industrial computers) certified by Matrox Imaging to be compatible with the Matrox Meteor-II/Multi-Channel frame grabber board. Compatibility is defined as the general ability of the Matrox Meteor-II/Multi-Channel to properly function on the specified platform. It does not necessarily take into account interaction with other expansion peripherals. Therefore, customers should perform testing based on their applications' specific needs. Compatibility is not limited to the platforms listed below. Other platforms with similar characteristics may also be compatible. Please contact Matrox Imaging Technical Support for details on compatibility with specific platforms. [A shaded background indicates a recently added listing.](#)

Desktop systems					
Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
Compaq ^{3, 4, 8}	DeskPro EN	Intel Pentium-III	Intel 815E	5V PCI / AGP 4X / ISA	-
Compaq ^{1, 2, 3, 8}	DeskPro 4000	Intel Pentium-III	Intel 440LX	5V PCI / AGP / ISA	-
Dell ^{1, 2, 3, 8}	Dimension XPS B800r	Intel Pentium-III	Intel 82820	5V PCI / AGP	A00
Dell ^{2, 3, 8}	Dimension XPS D300	Intel Pentium-II	Intel 440LX	5V PCI / AGP / ISA	6.0
Dell ^{3, 8}	Dimension XPS R400	Intel Pentium-II	Intel 440BX	5V PCI / AGP / ISA	A03
Dell ^{1, 2, 3, 8}	Dimension XPS R450	Intel Pentium-II	Intel 440BX	5V PCI / AGP / ISA	A09
Dell ^{1, 2, 3, 8}	Dimension XPS T550	Intel Pentium-III	Intel 440BX	5V PCI / AGP / ISA	A04
Dell ^{2, 3, 4, 8}	Dimension 4100	Intel Pentium-III	Intel 815E	5V PCI / AGP	-
Dell ^{2, 3, 4, 8}	Optiplex GX240	Intel Pentium 4	Intel 845	5V PCI / AGP	A02
Dell ^{4, 5, 8}	Optiplex GX280	Intel Pentium 4	Intel 915G	5V PCI / PCIe	A07
Dell ^{2, 3, 4, 8}	Optiplex GX400	Intel Pentium 4	Intel 850	5V PCI / PCIe	A03

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Desktop systems (cont.)					
Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
Dell ^{4, 5, 8}	PowerEdge 2600	Intel Xeon (Dual)	Intel E7500	5V PCI / 3.3V PCI / PCI-X	A02
Dell ^{4, 5, 8, 9}	Precision 380	Intel Pentium 4	Intel 955X	5V PCI / PCIe	A04
Dell ^{4, 5, 8, 9}	Precision 470	Intel Xeon	Intel E7525	5V PCI / PCI-X / PCIe	A01
Dell ^{5, 8}	Precision 490	Intel Xeon 5000 series	Intel 5000x	5V PCI / PCI-X / PCIe	A03
Dell ^{3, 4, 8}	Precision 530	Intel Xeon (Dual)	Intel 860	5V PCI / 3.3V PCI / AGP 4X	A06
Dell ^{3, 4, 5, 8}	Precision 650	Intel Xeon (Dual)	Intel E7505	5V PCI / PCI-X / AGP 8X	A00
Dell ^{4, 5, 8, 14}	Precision 670	Intel Xeon	Intel E7525	5V PCI / PCI-X / PCIe	A06
Dell ^{5, 8, 9}	Precision 690	Intel Xeon 5000 series	Intel 5000x	5V PCI / PCI-X / PCIe	A01
Dell ^{5, 8, 16}	Precision T3400	Intel Core 2 Quad	Intel X38	5V PCI / PCIe	A04
Dell ^{4, 7}	Precision T7400	Intel Xeon 5000 series	Intel 5400P	5V PCI / PCI-X / PCIe	A02
Gateway ^{1, 3, 8}	ALR 7200R	Intel Pentium-II (Dual)	Intel 440BX	5V PCI / ISA	6.00.7
Gateway ^{2, 3, 8}	G6-300	Intel Pentium-II	Intel 440LX	-	6.04
Gateway ^{1, 2, 3, 8}	G6-450	Intel Pentium-II	Intel 440BX	-	012
Gateway ^{1, 2, 3, 8}	GP6-450	Intel Pentium-II	Intel 440BX	-	P04
Gateway ^{1, 2, 3, 8}	Performance 550	Intel Pentium-III	Intel 440BX	-	P08
Gateway ^{2, 3, 4, 8}	Performance 1000	Intel Pentium-III	Intel 815E	-	P08

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Desktop systems (cont.)

Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
Gateway ^{2, 3, 4, 8}	Performance 1300	Intel Pentium 4	Intel 850	-	-
Gateway ^{3, 4, 5, 8}	500x	Intel Pentium 4	Intel 845	5V PCI / AGP	P02
HP ^{1, 2, 3, 8}	Vectra VL7	Intel Pentium-II	Intel 440LX	-	1.0
HP ^{3, 4, 5, 6, 8}	xw8000	Intel Xeon (Single)	Intel E7505	5V PCI / PCI-X / AGP	8X JQW105US rev.A
HP ^{8, 16}	Z600	Intel Xeon 5000 series	Intel 5520	5V PCI / PCIe	108
HP ^{8, 16}	Z800	Intel Xeon 5000 series	Intel 5520	5V PCI / PCIe	01.17
IBM ^{1, 3, 8}	Intellistation M PRO 6889	Intel Pentium-II (Dual)	Intel 440BX	-	NVKT 29.0
Siemens ^{2, 3, 8}	Simati R145 P11	Intel Pentium-II	Intel 440LX	-	-

Motherboards

Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
Abit ^{1, 2, 3, 8}	BX6	Intel Pentium-III	Intel 440BX	5V PCI / AGP / ISA	JH
Abit ^{2, 3, 4, 6, 8}	SA6	Intel Pentium-III	Intel 815EP	-	WJ
Abit ^{3, 4, 6, 7, 8}	VP6	Intel Pentium-III	VIA 694	5V PCI / AGP	UR
Abit ^{2, 3, 4, 8}	VT6X4	Intel Pentium-III	VIA 694	PCI / AGP / ISA	TG
AOpen ^{2, 3, 8}	AX63	Intel Pentium-III	VIA 693	PCI / AGP / ISA	R1.0
ASUS ^{3, 4, 8}	A7M266-D	AMD Athlon MP	AMD 760MPX	5V PCI / 3.3V PCI / AGP 4X	1010

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Motherboards (cont.)					
Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
ASUS ^{2, 3, 4, 6, 8}	A7V133	AMD Athlon VIA	KT133A	PCI / AGP 4X / ISA	1004
ASUS ^{1, 2, 3, 8}	CUBX	Intel Pentium-III	Intel 440BX	-	1005
ASUS ^{2, 3, 4, 8}	CUR-DLS	Intel Pentium-III	ServerSet IIILE	-	1005
ASUS ^{2, 3, 4, 8}	CUSL2	Intel Pentium-III	Intel 815E	-	1002
ASUS ^{1, 2, 3, 8}	MEW	Intel Celeron	Intel 810	PCI / ISA	1001
ASUS ^{3, 4, 5, 8}	PP-DLW	Intel Xeon (Single)	Intel E7505	5V PCI / PCI-X / AGP 8X	028
ASUS ^{1, 2, 3, 8}	P2B	Intel Pentium-II	Intel 440BX	PCI / AGP / ISA	1008
ASUS ^{2, 3, 8}	P2B-D	Intel Pentium-III (Dual)	Intel 440BX	PCI / AGP / ISA	1008
ASUS ^{2, 3, 8}	P2B-D2	Intel Pentium-III (Dual)	Intel 440BX	PCI / ISA	1010
ASUS ^{1, 2, 3, 8}	P2B-LS	Intel Pentium-II	Intel 440BX	PCI / AGP / ISA	1008
ASUS ^{2, 3, 8}	P2-99	Intel Pentium-III	Intel 440ZX	PCI / AGP / ISA	1009A
ASUS ^{1, 2, 3, 8}	P3B-F	Intel Pentium-III	Intel 440BX	PCI / ISA	1004
ASUS ^{1, 2, 3, 8}	P3C-D	Intel Pentium-III (Dual)	Intel 820	PCI / AGP 4X	1012
ASUS ^{1, 2, 3, 8}	P3C-E	Intel Pentium-III	Intel 820	PCI / AGP 4X / ISA	1020
ASUS ^{2, 3, 8}	P3C-LS	Intel Pentium-III	Intel 820	PCI / AGP 4X / ISA	1008
ASUS ^{2, 3, 8}	P3V133	Intel Pentium-III	VIA Apollo Pro133	PCI / AGP / ISA	1002

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Motherboards (cont.)					
Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
ASUS ^{2, 3, 4, 8}	P4B	Intel Pentium 4	Intel 845	PCI / AGP 4X	-
ASUS ^{3, 4, 5, 8}	P4P800	Intel Pentium 4	Intel 865PE	5V PCI / AGP 4X	1009
ASUS ^{2, 3, 4, 6, 8}	P4T	Intel Pentium 4	Intel 850	PCI / AGP 4X	1001
ASUS ^{5, 8}	P5W64 WS Pro	Intel Pentium D	Intel 975X	5V PCI / PCIe	903
ASUS ^{5, 8}	P5WDG2 WS Pro	Intel Core 2 Duo	Intel 975X	5V PCI / PCI-X / PCIe	8005
ASUS ^{8, 16}	P6X58D-E	Intel Core i7	Intel X58	5V PCI / PCIe	502
A-TREND ^{1, 2, 3, 8}	ATC-6254M	Intel Pentium-III	Intel 440BX	PCI / ISA	2
A-TREND ^{1, 2, 3, 8}	FW6280BXDR	Intel Pentium-III	Intel 440BX	-	-
DFI ^{1, 2, 3, 8}	P2XBL	Intel Pentium-III	Intel 440BX	-	-
EPOX ^{1, 2, 3, 8}	EP-BXB-S	Intel Pentium-III (Dual)	Intel 440BX	PCI / AGP / ISA	-
Gigabyte ^{1, 2, 3, 8}	GA-BX2000	Intel Pentium-III	Intel 440BX	PCI / AGP / ISA	F1.6
Gigabyte ^{1, 2, 3, 8}	GA-5AX	AMD K6-2	ALI	PCI / AGP / ISA	F1.08
Gigabyte ^{2, 3, 4, 8}	GA-60XM7E	Intel Pentium-III	Intel 815E	PCI / AGP 4X	F2
Gigabyte ^{1, 2, 3, 8}	GA-6BXDU	Intel Pentium-III (Dual)	Intel 440BX	PCI / AGP / ISA	2.4
Gigabyte ^{1, 2, 3, 8}	GA-7ZM	AMD K7 Athlon	VIA Apollo KT133	PCI / AGP 4X	F9
Intel ^{2, 3, 4, 8}	D815EEAAL	Intel Pentium-III	Intel 815	-	P04

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Motherboards (cont.)					
Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
Intel ^{3, 4, 5, 8}	D845BG	Intel Pentium 4	Intel 845	PCI / AGP	P01
Intel ^{2, 3, 4, 5, 8}	D850MV	Intel Pentium 4	Intel 850	PCI / AGP 4X	1.2a
Intel ^{2, 3, 4, 8}	D850GB	Intel Pentium 4	Intel 850	PCI / AGP	-
Intel ^{3, 4, 5, 8}	D875PBZ	Intel Pentium 4	Intel 875P	5V PCI / AGP 8X	P16
Intel ^{4, 5, 8, 12}	D915GEV	Intel Pentium 4	Intel 915G	5V PCI / PCIe	0332
Intel ^{4, 5, 8}	D925XCV	Intel Pentium 4	Intel 925X	5V PCI / PCIe	0338
Intel ^{5, 8}	D975XBX	Intel Core 2 Duo	Intel 975X	5V PCI / PCIe	BX9750j.86.A1478
Intel ^{5, 8}	D975XBX2	Intel Core 2 Duo	Intel 975X	5V PCI / PCIe	BX97520j.86A.2770.0613.1403
Intel ^{2, 3, 8}	DK440LX	Intel Pentium-II (Dual)	Intel 440LX	PCI / AGP / ISA	10
Intel ^{8, 16}	DP45SG	Intel Core 2 Quad	Intel P45	5V PCI / PCIe	0102
Intel ^{8, 16}	DP55KG	Intel Core i5	Intel P55	5V PCI / PCIe	4507
Intel ^{8, 16}	DP67BG	Intel Core i5 series	Intel P67	5V PCI / PCIe	1569
Intel ^{5, 8}	DQ35JOE	Intel Core 2 Duo	Intel Q35	5V PCI / PCIe	A2
Intel ^{5, 8}	DQ965GL	Intel Pentium D	Intel Q965	5V PCI / PCIe	CO96510j.86A.5975
Intel ^{1, 2, 3, 8}	MS440GX	Intel Pentium-II (Dual)	Intel 440GX	PCI	-
Intel ^{1, 2, 3, 8}	MU440EX	Intel Pentium-II	Intel 440EX	-	P03

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Motherboards (cont.)					
Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
Intel ^{4, 8}	OR840	Intel Pentium-III (Dual)	Intel 840	PCI / APG 4X	-
Intel ^{1, 2, 3, 8}	RC440BX	Intel Pentium-II	Intel 440BX	PCI / ISA	P03
Intel ^{1, 2, 3, 8}	SE440BX	Intel Pentium-II	Intel 440BX	PCI / AGP / ISA	P04
Intel ^{1, 2, 3, 8}	SE440BX-2	Intel Pentium-II	Intel 440BX	PCI / AGP / ISA	P05
Intel ^{3, 4, 5, 8}	SE7500CW2	Intel Xeon (dual)	Intel E7500	5V PCI / PCI-X	1.18
Intel ^{3, 4, 5, 8, 9}	SE7505VB2	Intel Xeon (Dual)	Intel E7505	5V PCI / PCI-X / AGP 8X	1.01
Intel ^{4, 5, 8}	SE7525GP2	Intel Xeon	Intel E7525	5V PCI / PCI-X / PCIe	P10
Intel ^{3, 4, 5, 8, 9, 10}	SHG2	Intel Xeon (Single)	Intel E7505	5V PCI / PCI-X	1.08
Iwill ^{1, 2, 3, 8}	DBL100	Intel Pentium-II	Intel 443BX	5V PCI / AGP / ISA	01.21.1999
Iwill ^{1, 2, 3, 8}	LE370	Intel Celeron	Intel 440LX	PCI / AGP / ISA	07.02.1999
Iwill ^{2, 3, 4, 8}	WO2	Intel Pentium-III	Intel 815E	-	02.27.2001
Legend QDI ^{2, 3, 8}	BrilliantX IS	Intel Pentium-III	Intel 440BX	PCI / AGP / ISA	1.4
MSI ^{3, 4, 5, 8}	E7505 Master-LS2 (MS-9121)	Intel Xeon (Single)	Intel E7505	5V PCI / PCI-X / AGP 8X	1.1
Shuttle ^{1, 2, 3, 8}	HOT 681Z	Intel Celeron	Intel 440ZX	-	681zs013
SOYO ^{1, 3, 8}	SY-6BA	Intel Pentium-III	Intel 440BX	-	BA-2AA
SuperMicro ^{2, 3, 4, 5, 8}	P4DC6	Intel Xeon (Dual)	Intel 860	5V PCI / 3.3V PCI / AGP 4X	1.0A

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Motherboards (cont.)					
Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
SuperMicro ^{4, 5, 6, 8}	P4DSE	Intel Xeon	ServerWorks GC-SL	5V PCI / PCI-X	1.0C
SuperMicro ^{4, 5, 8, 9}	P4SCT	Intel Pentium 4	Intel 875P	5V PCI / PCI-X / AGP 8X	1.0C
SuperMicro ^{1, 2, 3, 8}	P6DGE	Intel Pentium-II	Intel 440GX	5V PCI / AGP 2X / ISA	R1.3
SuperMicro ^{1, 2, 3, 8}	P6SBA	Intel Pentium-III	Intel 440BX	PCI / AGP / ISA	R1.5b
SuperMicro ^{5, 8, 9, 15}	PDSBA	Intel Core 2 Duo	Intel G965	5V PCI / PCIe	1.0c
SuperMicro ^{3, 4, 5, 8, 9}	X5DAE	Intel Xeon (Dual)	Intel E7505	5V PCI / PCI-X / AGP 8X	1.0b
SuperMicro ^{4, 5, 8, 13}	X6DAE-G	Intel Xeon	Intel E7525	5V PCI / PCI-X / PCIe	1.3a
SuperMicro ^{4, 5, 8}	X6DHE-G2	Intel Xeon	Intel E7520	PCI-X / PCIe	1.3c
SuperMicro ^{5, 8}	X7DAE-O	Intel Xeon 5000 series	Intel 5000X	5V PCI / PCI-X / PCIe	2.0
Supermicro ^{8, 16}	X8DAE	Intel Xeon 5000 series	Intel 5520	PCI-X / PCIe	80015
Supermicro ^{8, 16}	X8SAX	Intel Core i7	Intel X58	5V PCI / PCI-X / PCIe	1.0b
Trenton ^{8, 16}	NTM6900	Intel Xeon 5000 series	Intel 5520	5V PCI / PCIe	8.00.16
Tyan ^{4, 5, 8}	Thunder K8WE (S2895)	AMD Opteron	AMD 8131	5V PCI / PCI-X / PCIe	1.01.2895
Tyan ^{1, 3, 8}	Tiger 100	Intel Pentium-II	Intel 440BX	-	V1.12
Tyan ^{1, 2, 3, 8}	Tiger 2 ATX (S1692D)	Intel Pentium-II (Dual)	Intel 440LX	-	V1.09

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Motherboards (cont.)

Manufacturer	Model	Processor	Chipset	Slot type(s)	BIOS revision
Tyan ^{1,2,3,8}	Tiger 100 (S1832DL)	Intel Pentium-II (Dual)	Intel 440BX	-	V1.16a
Tyan ^{1,2,3,8}	Tiger Thunder (S1836DLUAN-GX)	Intel Pentium-II (Dual)	Intel 440GX	-	V1.16b
Tyan ^{2,3,4,8}	Tiger Trinity K7 (S2380)	AMD K7 Athlon	VIA Apollo KX133	-	V1.02a
Tyan ^{3,4,5,8}	Tiger Thunder i7500 (S2720)	Intel Xeon (Dual)	Intel E7500	5V PCI / 3.3V PCI-X	V1.2
Tyan ^{3,4,5,8}	Tiger Thunder i860 (S2603)	Intel Xeon (Dual)	Intel 860	5V PCI / 3.3V PCI / AGP 4X	V1.06

Industrial computers (SHB)

Manufacturer	Model	Processor	Chipset	Backplane tested	BIOS revision
ICS ^{2,3,8}	FCLX0256	Intel Pentium-II	Intel 440LX	H	07/15/95
Kontron ^{3,4,5,8,9,11}	ePCI-200	Intel Pentium 4	ServerWorks GC-SL	K	2.0
Portwell ⁸	ROBO-618	Intel Pentium-II	Intel 440BX	A	1.00
Teknor ^{1,2,3,8}	PCI-936	Intel Pentium (MMX)	Intel 430HX	G	2.45
Texas Micro ^{1,2,3,8}	PF5233 HX	Intel Pentium (MMX)	Intel 430HX	E & F	07/24/98
Texas Micro ^{2,3,8}	P2300(D)FX/512	Intel Pentium-II(Dual)	Intel 430FX	E & F	05/01/98
Texas Micro ^{1,2,3,8}	321P-300W	Intel Pentium PRO	Intel 440FX	-	-
Trenton ^{1,2,3,8}	CBI	Intel Pentium-III	Intel 440BX	-	13
Trenton ^{5,8}	MCXT (6633)	Intel Xeon	Intel E5000P	M	08.06.15
Trenton ^{4,5,8}	NLT (6313)	Intel Xeon	Intel E7520	L	TTIGFL21 6-15-05

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Industrial computers (SHB) (cont.)

Manufacturer	Model	Processor	Chipset	Backplane tested	BIOS revision
Trenton ⁸	P2BX/400	Intel Pentium-II	Intel 440BX	C	08/13/98
Trenton ^{1, 2, 3, 8}	P2LX/233	Intel Pentium-II	Intel 440LX	C & D	07/15/95
Trenton ^{3, 4, 8}	SLE (5891)	Intel Pentium-III	ServerSet-III LE	-	-
Trenton ^{3, 4, 5, 8}	ULE (5927)	Intel Pentium-III	ServerSet-III LE	C	-
Trenton ^{3, 4, 5, 8}	XPI (6022)	Intel Xeon	Intel E7500	I	07/15/95
Trenton ^{3, 4, 5, 8, 9, 11}	XPT (6090)	Intel Xeon (Dual)	Intel E7501	J	TTIBY016

Backplanes

ID	Manufacturer	Model	Slot type(s)	PCI/PCIe/PCI-X bridge(s)
A	Portwell	PBP-14A7	PCI / ISA	(1) Intel 21052-AB
B	Portwell	PBP-08P4	PCI / ISA	none
C	Trenton	BP3-16T-ISA-PCI	PCI / ISA	(3) DEC 21152-AA / (1) DEC 21150-AA
D	Trenton	TR-BP7 6T-2.1	PCI / ISA	(1) DEC 21152-AA
E	Texas Micro	PCA/5/2/6	PCI/ISA PCI / ISA	(1) DEC 21150-AA
F	Texas Micro	PCA/3ISA/1CPU/6PCI	PCI /ISA	(1) DEC 21150-AA
G	Teknor	6PCI/6ISA/1CPU	PCI / ISA	(1) DEC 212052-AB
H	ICS	BP12-0559	PCI / ISA	(1) DEC 21152

Matrox Meteor-II/Multi-Channel PC Compatibility List June 7, 2011

Backplanes (cont.)				
ID	Manufacturer	Model	Slot type(s)	PCI/PCIe/PCI-X bridge(s)
I	Trenton	BP3/2/4/4	5V PCI / 3.3V PCI / ISA	(2) Intel 21154 / (1) Intel 21152
J	Trenton	BP 1/1/2/4/4	PCI-X / 5V PCI / ISA	(1) Intel 21154
K	Kontron	eBP-11A4B6	PCI-X / 5V PCI	(2) PLX PCI 6540
L	Trenton	BPX 3/8 (6377)	x8 PCIe / PCI-X / 5V PCI	(1) Intel 41210 (PCIe), (1) Intel 21154 (PCI)
M	Trenton	BPX6620	x8 PCIe / PCI-X / 5V PCI	(3) Intel 41210 (PCIe)

Notes (Contact Matrox Imaging Technical Support for details)

1. Compatible with Microsoft DOS.
2. Compatible with Microsoft Windows 95/98SE.
3. Compatible with Microsoft Windows NT4.0.
4. Compatible with Microsoft Windows 2000.
5. Compatible with Microsoft Windows XP Professional.
6. Not compatible in all multi-board configurations.
7. Not compatible in all display modes (i.e., extended desktop/auxiliary)
8. Tested in a single board configuration only.
9. Not compatible in all slots (e.g., obstruction, failure to grab).
10. Frame grabber and PCI graphics card must be both installed in the same PCI/PCI-X segment.
11. On-board VGA cannot be used as Imaging display (OS dependent).
12. MTXDMA issue under MIL/MIL-Lite 7.5. Please contact Matrox Imaging Technical Support for assistance.
13. Known booting issue with certain PCIe graphics boards. Please contact Matrox Imaging Technical Support for assistance.
14. PCI slot limitation with Matrox board. Matrox Imaging recommends to use available PCI-X or PCIe slot.
15. Requires Hot Fix. Please contact Matrox Imaging Technical Support for assistance.
16. Compatible with MIL 9.0 under Microsoft Windows XP (32-bit).

For more information, please contact Technical Support (514) 822-6061 or <http://www.matrox.com/imaging/en/support/techsupport/contact/>
Intel, Core, and Xeon are registered trademarks of Intel Corporation. AMD and Opteron are trademarks of AMD © Matrox Electronic Systems Ltd., 2011.

Canada and U.S.A.
Matrox Electronic Systems Ltd.
1055 St. Regis Blvd.
Dorval, Quebec H9P 2T4
Canada
Tel: (514) 685-2630
Fax: (514) 822-6273